



UTOVARIVAČI  
**WOLF**

**VGP**

Rumenački put br. 39, 21201 Rumenska, Novi Sad

Tel: 021/540-426, 540-438

e-mail: [office@vgp.rs](mailto:office@vgp.rs), [www.vgp.rs](http://www.vgp.rs)

<https://www.facebook.com/vgp.doo>

<https://www.facebook.com/vgpnovisad/>






MODEL: WL80

UTOVARIVAČTEHNIČKA SPECIFIKACIJA

MOTOR	LOVOL 3 CILINDRA
<b>SNAGA: kw/KS</b>	<b>25/34</b>
NOMINALNI BROJ OBRTAJA - rpm	2400
NOSIVOST - kg	800
ZAPREMINA KAŠIKE - m <sup>3</sup>	0,4
UKUPNA VELIČINA - D x Š x V-A,B,C	4380x1600x2600
MEĐUSOVINSKO RASTOJANJE - mm-D	1790
ŠIRINA TRAGA - mm-E	1230
SILA KIDANJA - kn	32
VISINA ISTOVARA - mm-F	3000
DOMET MAX PODIGNUTE KAŠIKE - mm-H	800
CIKLUS (UTOVAR - ISTOVAR) - sek	8,5
UKUPNA TEŽINA - kg	2500

**GUME:**750-16/10-16,5/28X9-  
15,5/31X15,5-15Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- pogon 4WD,
- rotacija
- poteznica za vuču
- radio
- standardna kašika sa zubima 1600 mm 0,4 m<sup>3</sup>
- plivajući džojstik,
- ventilator u kabini, grejač u kabini,
- podesivi volan i sedište
- čekić za prozore,
- 220 V predgrejač motora
- aparat za gašenje požara
- kutija za alat
- standardne gume 750-16 - boja: bela / siva





MODEL: WL100

UTOVARIVAČTEHNIČKA SPECIFIKACIJA**MOTOR**

LOVOL 4 CILINDRA

**SNAGA: kw/KS**

39/53

NOMINALNI BROJ OBRTAJA - rpm

2400

NOSIVOST - kg

1000

ZAPREMINA KAŠIKE - m<sup>3</sup>

0,5

UKUPNA VELIČINA - D x Š x V-A,B,C

4750x1700x2600

MEĐUSOVINSKO RASTOJANJE - mm-D

2080

ŠIRINA TRAGA - mm-E

1400

SILA KIDANJA - kn

40

VISINA ISTOVARA - mm-F

3000

DOMET MAX PODIGNUTE KAŠIKE - mm-H

800

CIKLUS (UTOVAR - ISTOVAR) - sek


9,5

UKUPNA TEŽINA - kg

3300

**GUME:**900-16/1200-  
16/31X15,5-15Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- pogon 4WD,
- rotacija, zvuk prilikom kretanje u nazad,
- standardna kašika sa zubima 1700 mm 0,5 m<sup>3</sup>
- plutajući džojstik, grejač u kabini, radio
- podesivi volan i sedište, čekić za prozore,
- ventilator u kabini, 220 V predgrejač motora,
- aparat za gašenje požara, kutija za alat,
- poteznica za vuču
- standardne gume 900-16 - boja: bela / siva





MODEL: WL150


UTOVARIVAČTEHNIČKA SPECIFIKACIJA

MOTOR	LOVOL 4 CILINDRA
<b>SNAGA: kw/KS</b>	<b>39/53</b>
NOMINALNI BROJ OBRTAJA - rpm	2400
NOSIVOST - kg	1500
ZAPREMINA KAŠIKE - m <sup>3</sup>	0,7
UKUPNA VELIČINA - D x Š x V-A,B,C	5280x1700x2580
MEĐUSOVINSKO RASTOJANJE - mm-D	2260
ŠIRINA TRAGA - mm-E	1490
SILA KIDANJA - kn	48
VISINA ISTOVARA - mm-F	3350
DOMET MAX PODIGNUTE KAŠIKE - mm-H	790
CIKLUS (UTOVAR - ISTOVAR) - sek	11
UKUPNA TEŽINA - kg	3600

**GUME:** 1200-16/12-16,5/  
20,5/70-16

Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- motor EURO 3
- pogon 4WD,
- rotacija, zvuk prilikom kretanja u nazad, radio,
- standardna kašika sa zubima 1700 mm 0,7m<sup>3</sup>,
- plutajući džojstik, varta akumulator, grejač u kabini,
- podesivi volan i sedišta, čekić za prozore, ventilator u kabini,
- 220 V predgrejač motora, aparat za gašenje požara,
- kutija za alat, poteznica za vuču
- standardne gume 20.5 / 70-16 - boja: bela / siva





MODEL: WL160

UTOVARIVAČTEHNIČKA SPECIFIKACIJA**MOTOR**

LOVOL 4 CILINDRA

**SNAGA: kw/KS**

39/53

NOMINALNI BROJ OBRTAJA - rpm

2400

NOSIVOST - kg

1600

ZAPREMINA KAŠIKE - m<sup>3</sup>

0,9

UKUPNA VELIČINA - D x Š x V-A,B,C

5280x1700x2680

MEĐUSOVINSKO RASTOJANJE - mm-D

2260

ŠIRINA TRAGA - mm-E

1490

SILA KIDANJA - kn

64

VISINA ISTOVARA - mm-F

3350

DOMET MAX PODIGNUTE KAŠIKE - mm-H

790

CIKLUS (UTOVAR - ISTOVAR) - sek

11

UKUPNA TEŽINA - kg

4000


**GUME:**

20.5 / 70-16

23.5 / 70-16

Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- EURO 3, pogon 4WD
- rotacija, zvuk prilikom kretanje u nazad, radio
- standardna kašika sa zubima 1800 mm 0,9 m<sup>3</sup>
- plutajući džojstik, grejač u kabini
- podesivi volan i sedište, čekić za prozore
- ventilator u kabini, 220 V predgrejač motora
- aparat za gašenje požara, kutija za alat
- poteznica za vuču
- zadnja kamera sa LCD ekranom u kabini
- standardne gume 20.5 / 70-16
- boja: bela / siva








MODEL: WL200

UTOVARIVAČTEHNIČKA SPECIFIKACIJA

<b>MOTOR</b>	<b>LOVOL 4 CILINDRA</b>
<b>SNAGA: kw/KS</b>	<b>60/81</b>
NOMINALNI BROJ OBRTAJA - rpm	2400
NOSIVOST - kg	2000
ZAPREMINA KAŠIKE - m <sup>3</sup>	1,0
UKUPNA VELIČINA - D x Š x V-A,B,C	5800x2050x2820
MEĐUSOVINSKO RASTOJANJE - mm-D	2150
ŠIRINA TRAGA - mm-E	1440
SILA KIDANJA - kn	80
VISINA ISTOVARA - mm-F	3600
DOMET MAX PODIGNUTE KAŠIKE - mm-H	885
CIKLUS (UTOVAR - ISTOVAR) - sek	9,5
UKUPNA TEŽINA - kg	4800
<b>GUME:</b>	<b>16 / 70 - 20</b>

Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- EURO 3, pogon 4WD,
- rotacija, zvuk prilikom kretanje u nazad, radio
- standardna kašika sa zubima 1800 mm 1,0 m<sup>3</sup>
- plutajući džojstik, grejač u kabini, podesivi volan i sedište
- čekić za prozore, ventilator u kabini, 220 V predgrejač motora
- aparat za gašenje požara, kutija za alat, poteznaica za vuču
- zadnja kamera sa LCD ekranom u kabini
- standardne gume 16 / 70-20 - boja: bela / siva





# MODEL: WTL 2500 UTOVARIVAČ TELESKOPSKI


## TEHNIČKA SPECIFIKACIJA



<b>MOTOR</b>	<b>LOVOL 4 CILINDRA</b>
<b>SNAGA: kw/KS</b>	<b>70/95,2</b>
NOMINALNI BROJ OBRTAJA - rpm	2400
NOSIVOST - kg	2500
ZAPREMINA KAŠIKE - m <sup>3</sup>	1,2
UKUPNA VELIČINA - D x Š x V-A,B,C	6000x2090x2820
MEĐUSOVINSKO RASTOJANJE - mm-D	2430
ŠIRINA TRAGA - mm-E	1470
SILA KIDANJA - kn	80
VISINA ISTOVARA - mm-F	5000
DOMET MAX PODIGNUTE KAŠIKE - mm-H	885
CIKLUS (UTOVAR - ISTOVAR) - sek	9,5
UKUPNA TEŽINA - kg	5700
<b>GUME:</b>	<b>16 / 70 - 20</b>

### Standardna oprema:

- hidraulični pretvarač obrtnog momenta,
- EURO 3, pogon 4WD,
- rotacija, zvuk prilikom kretanje u nazad, radio
- standardna kašika sa zubima 1800 mm 1,2 m<sup>3</sup>
- plutajući džojstik, grejač u kabini, podesivi volan i sedište
- čekić za prozore, ventilator u kabini, 220 V predgrejač motora
- aparat za gašenje požara, kutija za alat, poteznica za vuču
- zadnja kamera sa LCD ekranom u kabini
- standardne gume 16/70 - 20 - boja: bela / siva





# UTOVARIVAČ

## PRIKLJUČNI UREĐAJI

**WOLF**



KAŠIKA SA ZUBIMA



KAŠIKA 4 U 1



KAŠIKA ZA ZRNO



KAŠIKA ZA MEŠANJE



KAŠIKA



SITO KAŠIKA



KAŠIKA ZA STAJNJK



PALETAR FIKSNI



KANTA ZA POSIPANJE PESKA



HIDRAULIČNI PALETAR



DASKA ZA SNEG



DASKA ZA SNEG «V»



VALJKASTI HVATAČ



TURBINA ZA SNEG



TURBINA ZA SNEG





# UTOVARIVAČ

## PRIKLJUČNI UREĐAJI

**WOLF**

HVATAČ DEBLA



HVATAČ DEBLA



HVATAČ DEBLA



KROKODILKA



TRN ZA BALE



ČISTAČ SA ČETKOM



KOSILICA ZA TRAVU



MULČER



HVATAČ BALA



LOPATA ZA DRVO



DIZALICA



SPONA ZA HVATANJE



BUŠILICA ZA SADNJU  
HIDRAULIČNI ČEKIĆ



ROVOKOPAČ



PREDNJA BAGERSKA RUKA



## OPCIJE GUMA

**WOLF**

750-16



900-16



1200-16



16/90-16



10-16.5



31X15.5-15



12-16.5



14-17.5



20.5/70-16



20.5/70-16



23.5/70-16



16/70-20



16/70-20



16/70-24



17.5-25



**ZADNI BRANIK  
SA SVETLIMA**

## **DODATNA OPREMA**



**DIGITALNA INSTRUMENT TABLA  
SA ELEKTRO - DŽOJSTIKOM**



**ZADNJA PLOČA ZA KAČENJE**



**REVERZER - ELEKTRO**



**VARTA AKUMULATOR**



**RASIPAČ SOLI**



**POTEZNICA**



**KUKA ZA VUČU**



**LED RADNA SVETLA**



**HALOGENA SVETLA**



**ZADNJA KAMERA**





**WOLF**  
UTOVARIVAČI

**VGP**

Rumenački put br. 39  
21201 Rumenka, Novi Sad  
Tel: 021/540-426, 540-438  
e-mail: office@vgp.rs  
www.vgp.rs  
<https://www.facebook.com/vgp.doo>  
<https://www.facebook.com/vgpnovisad/>

