

| | Xiao | mi SU7 Specification | on | |
|------------------|---|------------------------|-----------------------|-----------------|
| | Model | SU7 700km | SU7 Pro 830km | SU7 Max 800km |
| Manu | facturer's guide price (EUR) | 38.500 | 46.000 | 55.500 |
| | Manufacturer | | Xiaomi Auto | |
| | Level | Medium & large vehicle | | |
| | Energy type | Pure electric | | |
| | CLTC pure electric range (km) | 700 | 830 | 800 |
| | Fast charging time of battery (hours) | 0.42 | 0.5 | 0.32 |
| | Percentage of fast charging (%) | | 10-80 | 1 |
| | Maximum power (KW) | : | 220 | 495 |
| Basic Parameters | Maximum torque (N·m) | | 400 | 838 |
| | Body structure | | 4-door & 5-seat sedan | • |
| | Electric motor (Ps) | | 299 | 673 |
| | Length * Width * Height (mm) | 4997*1963*1455 | | 4997*1963*1440 |
| | Official 0-100km/h acceleration (s) | 5.28 | 5.7 | 2.78 |
| | Maximum speed (km/h) | | 210 | 265 |
| | Curb weight (kg) | 1980 | 2090 | 2205 |
| | Gross vehicle weight (kg) | 2430 | 2540 | 2655 |
| | Length (mm) | 4997 | | • |
| | Width (mm) | 1963 | | |
| | Height (mm) | 1 | 1455 | 1440 |
| | Wheelbase (mm) | 3000 | | |
| | Front wheelbase (mm) | 1693 | | |
| | Rear wheelbase (mm) | 1699 | | |
| | Minimum ground clearance under full load (mm) | | 120 | 134 |
| Can Dady | Approach angle (°) | 14 13 | | 13 |
| Car Body | Departure angle (°) | 16 | | |
| | Minimum turning radius (m) | 5.7 | | |
| | Vehicle structure | Sedan | | |
| | Door opening method | Flat door | | |
| | Number of car doors | 4 | | |
| | Number of seats | 5 | | |
| | Front trunk volume (L) | 105 | | |
| | Rear compartment capacity (L) | 517 493 | | 493 |
| | Wind resistance coefficient (Cd) | 0.195 | | |
| | Front motor brand | | - | Suzhou Huichuan |
| | Rear motor brand | United | Electronics | Suzhou Huichuan |
| | Front motor model | | - | YS210XY102 |
| | Rear motor model | T722 | 20XS000 | TZ220XY102 |

| | Motor type | Permanent ma | gnet/synchronous | Front induction/asynchronous rear permanent magnet/synchronous | |
|---------------------------------|---|--|---------------------------|--|--|
| | Total power of electric motor (KW) | 220 | | 495 | |
| | Total horsepower of electric motor (Ps) | 2 | 299 | 673 | |
| | Total torque of electric motor (N·m) | 4 | 400 | 838 | |
| | Maximum power of front motor (kW) | | - | 220 | |
| | Maximum torque of front motor (N⋅m) | - | | 338 | |
| | Maximum power of rear motor (KW) | | 220 | 275 | |
| | Maximum torque of rear motor (N⋅m) | 4 | 400 | 500 | |
| | Number of driving motors | Singl | e motor | Dual motor | |
| Motor | Motor layout | Rear | mounted | Front+Rear | |
| | Battery type | Lithium iron p | hosphate battery | Ternary lithium battery | |
| | Battery cell brand | FinDreams | CATL | CATL | |
| | Battery specific technology | Blade battery | Shenxing Battery | Kirin Battery | |
| | Battery cooling method | • | Liquid cooling | | |
| | CLTC pure electric range (km) | 700 | 830 | 800 | |
| | Battery energy (kWh) | 73.6 | 94.3 | 101 | |
| | Power consumption per 100KM (KWh/100km) | 12.3 | 12.9 | 13.7 | |
| | Fast charging function | Support | | | |
| | High voltage fast charging | | | support | |
| | High voltage platform (V) | 4 | 400 | 800 | |
| | Fast charging time of battery (hours) | 0.42 | 0.5 | 0.32 | |
| | Location of slow charging interface | | Left rear side of the car | | |
| | | | Left rear side of the car | ide of the car | |
| | External AC discharge power (KW) | | 3.5 | | |
| Transmission | Number of gears | | 1 | | |
| Transmission | Transmission type | Fixed gear ratio gearbox | | | |
| | Drive mode | Rear mounted | rear wheel drive | Dual motor four-wheel drive | |
| | Four wheel drive system | | - | Electric four-wheel drive | |
| Changin & Stanzing | Front suspension type | Double wishbone independent suspension | | | |
| Chassis & Steering | Rear suspension type | Five-link independent suspension | | | |
| | Assistance type | Electric power assist | | | |
| | Vehicle structure | Load-bearing type | | | |
| | Front brake type | Ventilated disc | | | |
| | Rear brake type | Ventilated disc | | | |
| Wheel Braking | Parking brake type | Electronic parking | | | |
| | Front tire | •245/45 R19 | | • 245/45 R19 | |
| | Rear tire | ●245 | /45 R19 | ●245/45 R19 | |
| | Driver/passenger seat airbags | Main ●/Deputy ● Front ●/Back- | | | |
| | Front/rear side airbags | | | | |
| | Front/rear head airbags (air curtains) | | Front ●/Back ● | | |
| | Front middle airbag | | • | | |
| Passive pedestrian protection • | | | • | | |

| 1 | 100 111 11 11 | | | |
|--------------------|---|---|---|------------------------------|
| | ABS anti lock braking system | | • | |
| | Braking force distribution (EBD/CBC, etc.) | • | | |
| | Brake Assist (EBA/BAS/BA, etc.) | | • | |
| | Traction control (ASR/TCS/TRC, etc.) | • | | |
| | Vehicle stability control (ESC/ESP/DSC, etc.) | • · · · · · · · · · · · · · · · · · · · | | |
| | Tire pressure monitoring function | Tire pressure display | | |
| Security Guarantee | Unfastened reminder of seat belt | | Whole vehicle | |
| | ISOFIX child seat interface | | • | |
| | Lane departure warning system | | • | |
| | Active braking/active safety system | • | | |
| | Fatigue driving tips | | • | |
| | DOW door opening warning | | • | |
| | Forward collision warning | | • | |
| | Rear collision warning | | • | |
| | Sentry mode/Thousand Mile Eye | | • | |
| | Low speed driving warning | | • | |
| | Built in driving recorder | | • | |
| | Road rescue call | | • | |
| | | | Sports | |
| | Switching driving modes | Standard/Comfortable | | |
| | | • Snow | | |
| | | | Custom/Personalized | |
| | Energy recovery system | • | | |
| Driving Control | Automatic parking | • | | |
| _ | Uphill assistance | • | | |
| | · | | | Suspension soft and hard |
| | Variable suspension function | | - | adjustment |
| | | | | Suspension height adjustment |
| | air suspension | | - | • |
| | Front/rear parking radar | | Front ●/Back ● | |
| | Driving assistance imaging | | 360 degree panoramic image | |
| | Transparent chassis/540 degree image | | • | |
| | Assisted driving chip | Nvidia Drive Orin | | Drive Orin |
| | Chip final power | ●84 TOPS | | TOPS |
| | Forward perception camera | • 2 | | 10.0 |
| | Number of cameras outside the car | • 11 | | |
| | Front perception camera pixels | • 8 million | | |
| | Environment aware camera pixels | 3 million | | |
| Driving Hardware | Surround camera pixels | 3 million | | |
| Driving Hardware | Number of cameras inside the car | · · · · · · · · · · · · · · · · · · · | | |
| | Number of ultrasonic radars | ● 1 piece ● 12 pieces | | |
| | Number of millimeter wave radars | • 1 piece • Three | | hree |
| | radilinei oi illillillietei wave laddis | ● i piece | • 1 | IIICC |

| | Lidar brand | - | HESAI Hes | sai Technology |
|-----------------------|--|--------------------------------------|------------------------------------|----------------|
| | Lidar model | - | | AT128 |
| | Quantity of Lidar | - | • 1 | piece |
| | Number of laser radar lines | - | | 28 line |
| | Lidar 10% reflectivity detection range | - | • 200 |) meters |
| | Number of Lidar point clouds | - | 1.53 millio | n per second |
| | Cruise control system | | Full speed adaptive cruise control | ' |
| | Assisted driving system | Xiaomi Pilot Pro | | ni Pilot Max |
| | Assisted driving level | •L2 | | |
| | Reverse side warning system | • | | |
| | Satellite navigation system | • | | |
| | Navigation traffic information display | | • | |
| | Map brand | | Gaode | |
| | Parallel assistance | | • | |
| Driving Function | Lane keeping assist system | | • | |
| | Keep the lane centered | | • | |
| | Road traffic sign recognition | | • | |
| | Automatic parking in place | • | | |
| | Piloted parking | • | | |
| | Automatic lane change assistance | • | | |
| | Hand-off detection of steering wheel | • | | |
| | Start reminder | • | | |
| | Electric spoiler | - | 0 | • |
| | Wheel rim material | | Aluminum alloy | -1 |
| | Electric suction door | | - | Whole vehicle |
| | Frameless design door | • | | -1 |
| | Electric trunk | • | | |
| | Electric trunk position memory | • | | |
| | Interior central locking system | • | | |
| | <u> </u> | | Bluetooth key | |
| Appearance/Anti-theft | Key type | NFC/RFID key Smart wristband key | | |
| | Ney type | | | |
| | Keyless start system | | • | |
| | Keyless start system Keyless entry function | Whole vehicle | | |
| | Active closed intake grille | • Whole vehicle | | |
| | Remote start function | • | | |
| | Battery preheating | • | | |
| | External discharge | • | | |
| | Low beam light source | •LED | | |
| | High beam light source | | •LED | |
| | Lighting features and functions | Matrix format | | |
| | LED daytime running lights | | • Wattix Torritat | |
| | LLD dayanto running lights | | _ | |

| Exterior Lights | Adaptive high and low beams | • |
|--------------------------|---|---|
| C | Automatic headlights | • |
| | Turn signal assist light | • |
| | Adjustable headlight height | • |
| | Delay closing of headlights | • |
| | Sunroof type | Panoramic sunroof (cannot be opened) |
| | Front/rear power windows | Front ●/Back ● |
| | One-click window lifting function | Whole vehicle |
| 0 (0) | Window anti-pinch function | • |
| Sunroof/Glass | Rear side privacy glass | • |
| | lutud and a sure la companion and | Driver+Lighting |
| | Interior makeup mirror | ◆ Co pilot+Lighting |
| | Induction wiper function | Rainfall sensing type |
| | · | |
| | | Electric adjustment Classification Compared to the c |
| | | Electric folding |
| External Rearview Mirror | Exterior rearview mirror function | Rearview mirror memory |
| | | Rearview mirror heating |
| | | Automatic folding down when reversing |
| | | Automatic folding when locking the car |
| | Center console screen | Touchscreen LCD screen |
| | Center console screen size | ● 16.1 inches |
| | Center console screen resolution | •3K |
| | Pixel density of center console screen | ●225PPI |
| | Bluetooth/Car Phone | • |
| | Mobile interconnection/mapping | Supports CarPlay |
| | | Factory interconnection/mapping |
| | | • Supports Carlink |
| | | a Multimodia avatam |
| | | Multimedia system Alexingtion |
| | Speech recognition control system | Navigation Talanhana |
| Screen/System | | • Telephone |
| Corcon, Cydlein | | Air conditioning |
| | | Seat heating |
| | | Seat ventilation |
| | Voice assistant wake-up words | Xiao Ai classmate |
| | Voice wake-up free words | • |
| | Voice segmentation wake-up recognition | Five regions |
| | Continuous speech recognition | • |
| | Visible can be said | • |
| | Voiceprint recognition | • |
| | | |
| | App Store Vehicle mounted intelligent system | Pengpai OS |

| | Car intelligent chip | Qualcomm Snapdragon 8295 | | |
|---------------------------|--|---|---|--|
| | Internet of Vehicles | • | | |
| | 4G/5G network | •5G | | |
| | OTA upgrade | • | | |
| | Wi Fi hotspot | • | | |
| Intelligent Configuration | Remote function of mobile APP | Door control Window control Vehicle start Charging management Air conditioning control Steering wheel heating Seat heating Seat ventilation Vehicle condition inquiry/diagnosis Vehicle positioning/finding Owner service (finding charging stations, gas stations, parking lots, etc.) | | |
| | Simulate sound waves | 0 | • | |
| | Car KTV | • | | |
| | Steering wheel material | • Leather | | |
| | Steering wheel position adjustment | Manual adjustment | Electrical adjustment | |
| | Shift mode | Electronic gear shift | | |
| | Multi functional steering wheel | • | | |
| | Steering wheel heating | • | | |
| Steering Wheel/Interior | Driving computer display screen | Colorful | | |
| Rearview Mirror | Full LCD instrument panel | • | | |
| | LCD instrument size | 7.1 inches | | |
| | HUD Display | - | • | |
| | HUD Size | - | ●56 inch | |
| | Interior rearview mirror function | Automatic anti-glare | | |
| | Multimedia/charging interface | ●USB ●Type-C | | |
| | Number of USB/Type-C interfaces | ● 4 in the front row/2 in the back row | | |
| In-Car Charging | USB/Type-C maximum charging power | •67W | | |
| | Wireless charging function for mobile phones | • Front row | | |
| | Wireless charging power for mobile phones | ●50W | | |
| | Luggage compartment 12V power interface | • | | |
| | Seat material | ● Imitation leather | | |
| | Sports style seats | • | | |

| | Main seat adjustment method | Front and rear adjustment Backrest adjustment Height adjustment (4-way) Lumbar support (4-way) | Forward and backward adjustment Backrest adjustment Height adjustment (4-way) Lumbar support (4-way) Lateral support (active) | |
|-----------------------|--|---|---|--|
| | Auxiliary seat adjustment method | Back and forth adjustment Backrest adjustment High and low adjustment (4-wa | у) | |
| Seats | Electric adjustment for driver/passenger seats | eats Main ●/Deputy ● | | |
| | Front seat function | HeatingVentilationHeadrest Speaker | Heating Ventilation Headrest Speaker | |
| | Electric seat memory function | Driver's seat Co driver's seat | | |
| | Second row seat function | Heating | | |
| | Rear seat folding form | Proportionally fold down | | |
| | Front/rear center armrest | Front ●/Back ● | | |
| | Rear cup holder | • | | |
| 0 1 0 1 // 1 | Number of speakers | 10 speakers | 25 speakers | |
| Sound System/Interior | Dolby Atmos | 0 | • | |
| Lighting | Interior ambient lighting | 256 colors | | |
| | Air conditioning temperature control method | Automatic air conditioning | | |
| | Heat pump air conditioning | • | | |
| | Rear seat air outlet | • | | |
| Air Conditioning/ | Temperature zoning control | • | | |
| Refrigerator | Car Purifier | • | | |
| | In-car PM2.5 filtration device | • | | |
| | Negative ion generator | • | | |
| | Air quality monitoring | • | | |
| Vehicle Color | Appearance color | Gulf Blue Olive Green Elegant Grey Glow Purple 850 EUR Lava Orange 850 EUR Cambrian Grey 850 EUR Meteor Blue 850 EUR Pearl White 850 EUR | | |

| | | Interior color | Obsidian Black Galaxy Grey Twilight Red Mist Purple |
|---|--|----------------|--|
| Remark: 1. The meanings of each symbol in the table are as follows: ● - equipped, ○ - optional, not equipped; 2. The cost of optional devices or function is not included in the quotation. | | | |